

Unlock new services with your machine data.



Flexy205

IIoT Gateway and Remote Access Router The eWON Flexy 205 is the new internet data gateway that allows Machine Builders to monitor and collect vital KPIs for analysis and predictive maintenance. With data logging, alarming, built-in web interface, scripting and enhanced internet connectivity, the Flexy 205 is a versatile Internet Gateway for your IoT deployment. It also supports VPN Remote Access for remote troubleshooting of the equipment.

www.ewon.biz



A perfect choice for Data Services

Flexy 205 Your Machine IIoT Gateway

REMOTE SERVICES



SECURE REMOTE ACCESS

- Allow service engineers to troubleshoot and tune equipment without going on site.
- Secure VPN Remote connectivity using Ethernet (built-in), WiFi or Cellular (extension cards).



DATA ACQUISITION

- Support all major PLC protocols (Siemens, Rockwell, Mitsubishi and Schneider and many others + Modbus, OPC UA, BACNet/IP).
- Enable alarming, machine KPIs, historical logging.



DATA LOGGING AND RETRIEVAL

- Log up to one million time-stamped data values.
- Logged files can be easily retrieved or sent for data aggregation and analysis using HTTPs, MQTT or FTP.



ALARM & EMAIL / SMS RELAY

- Configure alarms on key parameters.
- Send notifications by e-mail or SMS using relay services.



LOCAL HMI

- Embed web dashboards (HMTL5) to present real-time machine data.
- Use the M2Web services to allow your customer to monitor these dashboards from smartphone or tablet.




PROGRAMMABLE USING BASIC SCRIPTING OR JAVA

- Customize your gateway with Basic Scripting.
- Develop a Java application for advanced features such as writing a custom I/O driver, optimizing your application or integrating with 3rd party applications.



DPC IIA

 Embedded to offer easy-to-deploy data integration for factories.





IIOT SOLUTION PARTNER APPLICATION



SaaS**

HTTPS MQTT

CaaS**

Tested and validated turn-key solutions, from the HMS/eWON lloT Ecosystem.

YOUR BUSINESS APPLICATION

Read your machines' data with your Business Intelligence application software

Talk2M APIs

- Real time data

- Historical data

- Alarm events

Talk2M

COMPATIBLE WITH MAJOR CLOUDS

Microsoft Azure



PREDIX



MindSphere

... and many more



This solution makes **performance monitoring** and **proactive maintenance** possible.

retrieval, alarm and email/sms relay and







REMOTE DATA

MONITOR YOUR INSTALLATION

by accessing your HMI, PC, IP camera, web pages, etc. remotely from any web browser using Talk2M HTTPS web portal **M2Web**.



PROGRAM AND TROUBLESHOOT PLCs

remotely from your PC using Talk2M VPN client eCatcher and your automation apps (iOS, Android) using eCatcher Mobile.



^{**}Connectivity as a Service







Layered security approach

eWON ensures high security using the "Layered security approach" also called "Defense in Depth Approach". This approach preserves information integrity and confidentiality along with information system availability and resiliency.





"The first implementation has been so positive that we've decided to equip all our new installations as standard."

Peter Teunen, Technical Superintendent at DEME Group *Products: Flexy and Pluto Live Report (Exakom, IIoT Partner)

| Flexy205 | IIOT Gateway and Remote Access Router | | | | | | |
|---------------|---------------------------------------|---|--|--|--|--|--|
| | Switch | Configurable LAN/WAN switch; 4x10/100Mb | | | | | |
| atta- | SD card reader | Yes | | | | | |
| Flory Company | Input/Output | 2xDI, 1xDO | | | | | |
| | Historical logging | 1 million time-stamped points | | | | | |
| | Power Supply | 12-24 VDC +/-20%, LPS | | | | | |
| 000 ACING | Temperature range | -25°C to +70°C | | | | | |
| | Marking | CE c Sus FCC | | | | | |
| | Warranty | 24 months | | | | | |
| Manna | Product ref. | Flexy205 | | | | | |

Extension cards

| | WAN | | | | | FIELD | | |
|--------------|-----------|-----------|------------|---------|---------|---------|----------------|-------------|
| | EU 4G LTE | NA 4G LTE | 4G Verizon | 3G+ | WiFi | MPI | 2 Serial ports | 3 USB ports |
| | | | | | | | | |
| Product ref. | FLB3204 | FLB3205 | FLB3203 | FLB3202 | FLB3271 | FLC3701 | FLA3301 | FLB3601 |

For additional cards (Ethernet/WAN, PSTN, I/O ...), please contact your sales representative

Download Datasheet from our website, www.ewon.biz

HMS - Sweden (HQ)

Tel: +46 35 17 29 00 (Halmstad HQ) E-mail: sales@hms-networks.com

HMS - Belgium (eWON)

Tel: +32 67 895 800

E-mail: ewon@hms-networks.com

HMS - China

Tel: +86 010 8532 3183

E-mail: cn-sales@hms-networks.com

HMS - France

Tel: +33 (0)3 67 88 02 50 (Mulhouse office) E-mail: fr-sales@hms-networks.com **HMS - Germany**

Tel: +49 721 989777-000

E-mail: ge-sales@hms-networks.com

HMS - India

Tel: +91 83800 66578

E-mail: in-sales@hms-networks.com

HMS - Italy

Tel: +39 039 59662 27

E-mail: it-sales@hms-networks.com

HMS - Japan

Tel: +81 45 478 5340

E-mail: jp-sales@hms-networks.com

HMS - Switzerland

Tel: +41 61 511342-0

E-mail: sales@hms-networks.ch

HMS - UK

Tel: +44 1926 405599

E-mail: uk-sales@hms-networks.com

HMS - United States

Tel: +1 312 829 0601

E-mail: us-sales@hms-networks.com